

TABLE OF CONTENTS

RIFLESCOPES			
BLACK SERIES			
BLACK FX1000			
BLACK X1000			10
NEW BLACK FORCE100			12
BLACK FORCE1000			14
M-TACTICAL			
P-TACTICAL			
P-TACTICAL SPUR			
P-TACTICAL SUPERDOT			
HUNTING RIFLESCOPES		. 2	2-
NEW MONARCH M5			
NEW PROSTAFF P5			
NEW PROSTAFF P3			
NEW PROSTAFF P3 SPECIALTY			
BUCKMASTERS			
FORCE XR			
NEW PROSTAFF P3 CROSSBOW			
RIMFIRE			
NEW PROSTAFF P3 TARGET EFR			
LASER RANGEFINDERS			
BLACK RANGEX 4K		2	
MONARCH 3000 STABILIZED			
NEW MONARCH 2000			
LASERFORCE RANGEFINDER BINOCUL			
NEW PROSTAFF 1000i/1000 RANGEFINDE			
ARROW ID 3000 RANGEFINDER			
BINOCULARS			
MONARCH INTRO			
MONARCH HG			
MONARCH 7-5			
PROSTAFF 7S-5-3S			
ACULON			
SPECIALTY		. 5	58
FIELDSCOPES			
FIELDSCOPE INTRO			
NEW MONARCH			
FIELDSCOPE 50MM ED			
PROSTAFF 5-3			
NEW SCOPE MOUNTING SOLUTIONS.			
ACCESSORIES			
		. 7	
RIFLESCOPE RETICLE SUBTENSIONS			
FEATURE ICON DESCRIPTION KEY		. 7	'8-



For over 100 years, the guiding principle behind every Nikon product has been to engineer it from the inside out and create an optical system specific to the function of the product and to the needs of the user. As one of the few makers of optical glass in the world, Nikon has the advantage of being able to specify and select the exact type of glass, lens geometry and multicoatings needed to optimize the optical performance of any given optic. The result is what we call our "Glass First Principle," and it applies to every binocular, riflescope, fieldscope and laser rangefinder that bears the Nikon brand.



FEATURE AND PERFORMANCE ICONS

Throughout the pages of this catalog, feature and performance icons are used to help in comparing and selecting the right product for your intended use. See 78-79 for detailed descriptions for each.



LIFETIME REPAIR/REPLACEMENT

ccludes lost or stolen products and intentionally caused amage, and also excludes Nikon Rangefinders, Reflex ghts, Red Dot Sights, StabilEyes Binoculars Specialty Optics.

NO FAULT POLICY

When you build a quality product, the warranty is seldom used. That's why you don't hear Nikon talk much about warranties. Nevertheless, it is important to know that every Nikon riflescope, binocular and fieldscope/spotting scope is covered by both our Lifetime Limited Warranty for manufacturing defects and our exclusive No Fault Lifetime Repair/Replacement Policy for just about everything else. No receipts, no time limits and no excuses. Above all, Nikon is a 100+ year old company that you can count on to be around should anything ever happen.






LIFETIME REPAIR/REPLACEMENT

COMPETITION READY OPTICS

Once again, Nikon continues to bring elevated performance and relevance to our flagship BLACK tactical optics line with the introduction of the new BLACK FORCE100 action-target optic. Visit the Nikon BLACK microsite to experience the entire line:

Black.NikonSportOptics.com





FX-MRAD and FX-MOA RETICLES

Nikon's FX series glass-etched reticles present the shooter with highly functional and advanced tools designed with all aspects of long-range shooting in mind, including estimating range, maintaining holdovers, dialing elevation come ups, and also for compensating for wind and moving target leads. An advantage of using the FX series reticle is that it can be applied to virtually any shooting application regardless of caliber or ballistic performance, and when paired with the BLACK FX1000 riflescope and its precise MOA or MRAD adjustments, provides shooters with the tools necessary for long-range shooting precision.

The BLACK FX1000 has the FX-MRAD or FX-MOA reticle placed in the riflescope's first focal plane, so holdover corrections, ranging and other measurements using the indicated reticle subtensions can be done at any magnification.



Integral Zero Stop BLACK FX1000 features a return-tozero stop for rapid return to zero.



Exposed turrets engraved for maximum readability while offering smooth, repeatable adjustments. Directional indicators are clearly marked on windage and elevation turrets.



High-Speed Windage 10-Level Rheostat and Elevation Turrets Illuminated reticle models with side-mounted control offer 10 intensity levels of red illumination with OFF switch between each step for quick, easy brightness

adjustments.



shooter's or hunter's rifle set-up. The level's streamlined profile allows easy viewing without disturbing cheek weld. It is ambidextrous and mounts easily to the riflescope main body tube. Available in 1" and 30mm models.

NEW COMPETITION-GRADE BUBBLE LEVEL



See page 69 for information.



LIFETIME

REPAIR/REPLACEMENT



























FOCUSED ON PRECISION

Enhanced optical performance, extreme durability and confidence-building mechanical precision are core values used to develop the BLACK X1000 precision long-range riflescope.

advanced tools for estimating range or maintaining holdovers. Sunshade included.

Featuring tactical-style reticles, BLACK X1000 presents the shooter with highly functional and

















SPRING-LOADED INSTANT ZERO-RESET TURRETS




Illuminated reticle models with side-mounted control offer 10 intensity levels of red illumination with OFF switch between each step for quick, easy brightness adjustments.



Precision Windage and Elevation Turrets

Exposed turrets engraved for maximum readability while offering smooth, repeatable adjustments. Directional indicators are clearly

BLACK	X1000	ILL	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP		
16381	4-16x50SF Matte		X-MOA	23.8	14.8	4-3.6	27.2-6.8	1/4 MOA	90 M0A	12 MOA	50-INFINITY	\$499.95		
16382	4-16x50SF Matte	✓	X-MOA	24.3	14.8	4-3.6	27.2-6.8	1/4 MOA	90 MOA	12 MOA	50-INFINITY	\$599.95		
16383	4-16x50SF Matte	✓	X-MRAD	24.3	14.8	4-3.6	27.2-6.8	0.1 MRAD	25 MRAD	5 MRAD	50-INFINITY	\$599.95		
16423	6-24x50SF Matte	✓	X-MOA	25	15.2	4-3.5	18.0-4.5	1/4 MOA	60 M0A	12 MOA	50-INFINITY	\$649.95		
16384	6-24x50SF Matte	✓	X-MRAD	25	15.2	4-3.5	18.0-4.5	0.1 MRAD	17 MRAD	5 MRAD	50-INFINITY	\$649.95		
BLACK	BLACK Precision Mounts (30mm)													
16404	BLACK Precision 1-	piece	(MSR)									\$139.95		
16406	BLACK Precision 1-	piece	(Medium)									\$139.95		
BLACK	Cantilever Mour	ıts (3	Omm)											
16403	BLACK Cantilever											\$139.95		
16405	BLACK Cantilever (20 MO	A Cant)									\$139.95		



BLACK X-MOA and X-MRAD Reticles

Nikon's X-MOA and X-MRAD reticles present the shooter with clean and visually simple, yet highly functional and advanced tools for estimating range, maintaining holdovers or dialing elevation come ups and compensating for wind.



See page 68-69 for more information



FAULT

LIFETIME

REPAIR/REPLACEMENT





















Side-Mounted Illumination Control

FULLY MULTICOATED OPTICS

WIDE FIELD OF VIEW

GLASS-ETCHED RETICLE

GENEROUS, CONSISTENT EYE RELIEF

1x MAGNIFICATION (1x)

6x ZOOM RATIO


Illuminated reticle with side-mounted control offers 10 intensity levels of red llumination with OFF switch between each step for quick, easy brightness djustments. Auto shutoff after two hours of non-operation



Low Profile Capped Turrets

The BLACK FORCE100 riflescope features low profile, 4-MOA turrets protected by sturdy aluminum caps.

NEW	BLACK	FORCE100	ILL	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
	16660	1-6x24 Matte		FORCE-MOA	20.8	11.6	3.8-3.7	111.2-18.3	1/4 MOA	100 M0A	25 M0A	100	\$649.95
	BLACK	Cantilever Mou	nts (3	BOmm)									
	16403 BLACK Cantilever												\$139.95
	16405 BLACK Cantilever (20 MOA Cant)											\$139.95	
	BLACK Precision Mounts (30mm)												
	16404	BLACK Precision 1	-piece	(MSR)									\$139.95
	16406	BLACK Precision 1	-piece	(Medium)									\$139.95



ILLUMINATION SHOWN

FORCE-MOA Reticle

The FORCE-MOA is a multi-function, glass-etched reticle designed to enable continuous momentum shooting from target to target, and thus excel in closeto-medium range engagements. When the riflescope is set at its lowest 1x magnification, the reticle's illuminated center dot serves as a quick reference for centering on the target with both eyes open, similar to a red dot sight. At 6x, the reticle's lower hash marks provide hold-offs for wind and holdover points for longer known ranges as determined through the calculations of your ballistic





LIFETIME REPAIR/REPLACEMENT MORE POWER. MORE VERSATILITY.

A true "next level" optic, whether called upon for close-quarters engagements or targets at extended ranges,

ergonomics to your MSR platform. Through Nikon's Glass First engineering principal, the true 1x to 6x optical

the new BLACK FORCE100 1-6x24 brings a broader range of magnifications, new reticle design and increased

system of the BLACK FORCE100 was created to facilitate distortion-free targeting with both eyes open at 1x, and aiming precision for extended ranges when cranked up to 6x. An all-new FORCE-MOA reticle combines speed with precision through its illuminated center red dot that draws your eye toward the center and MOA-based

hash mark design for extended range holdovers or hold-offs for wind. Low profile, capped turrets and one-piece

30mm main body tube assure extreme durability and sighting confidence under tough conditions.

Nikon



ACCELERATED PRECISION

confidence under tough conditions.


Nikon's BLACK FORCE1000 riflescope delivers extreme targeting speed, repeatable precision and superior accuracy for your MSR platform. Designed for both-eyes-open engagement as well as aiming precision for extended ranges, this compact optic's

rugged construction and metal-capped turrets assure extreme durability and sighting





















SPRING-LOADED INSTANT ZERO-RESET TURRETS



Side-Mounted Illumination Control

4x ZOOM RATIO 4x

Illuminated reticle with side-mounted control offers 10 intensity levels of red illumination with OFF switch between each step for quick, easy brightness adjustments. Auto shutoff after two hours of non-operation.



Capped Windage & Elevation Turrets


The BLACK FORCE1000 riflescope features elevated ½-MOA turrets protected by sturdy aluminum caps.

BLACK	FORCE1000	ILL	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP		
16380	1-4x24 Matte		SPEEDFORCE	16.4	10.5	4.1-3.8	110.1-27.2	1/2 MOA	350 M0A	24 M0A	100	\$399.95		
BLACK	Cantilever Mou	nts (30mm)											
16403	BLACK Cantilever											\$139.95		
16405	BLACK Cantilever (20 MOA Cant)													
BLACK	Precision Moun	ıts (3	30mm)											
16404	BLACK Precision 1	-piec	e (MSR)									\$139.95		
16406	BLACK Precision 1	-piec	e (Medium)									\$139.95		

SPEEDFORCE Reticle

The SPEEDFORCE reticle was designed for

both reaction-speed target acquisition and engagement, and for intermediate-range target holdovers using BDC circles and hash marks. The SPEEDFORCE is an MOA subtension reticle engineered to enable you to continue momentum from target to target and thus, excel in close-to-medium range engagements both in competition and field use. When the riflescope is set at its lowest 1x magnification, the reticle's illuminated double horseshoe serves as quick reference for centering on the target with both eyes open, as well as for establishing movingtarget leads.



SPEEDFORCE

ILLUMINATION SHOWN



See page 68-69 for more information



LIFETIME

REPAIR/REPLACEMENT



platform-focused ballistic technology is desired, the M-TACTICAL lineup's caliber-designated reticles and Spot On ballistics are engi-

neered to put the most challenging distances within reach. All long-range M-TACTICAL models feature side-focus parallax adjustments,

while the full range of models feature directional indicators on turrets, 4x zoom ratio and utilize robust 30mm main body tubes drawn

from aircraft-grade aluminum alloy. Turrets and zoom rings have knurling that is ergonomically designed for comfortable function with

virtually any finger size. Each M-TACTICAL riflescope is finished with ultra-matte anodizing for extreme durability and reliability during a





quick and maintain your setting, even with heavy recoil. Directional ndicators are clearly marked on windage and elevation turrets.

4x ZOOM RATIO 4×

M-TAC	TICAL	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP	
16521	1-4x24 Matte	MK1-MOA	16.4	10.4	3.8-3.7	118.8-29.9	1/2 MOA	220 M0A	40 MOA	100	\$249.95	
16519	3-12x42SF Matte	MK1-MOA	20.5	13.1	3.9-3.6	37.2-9.4	1/4 MOA	75 M0A	20 MOA	50-INFINITY	\$399.95	
16520	3-12x42SF Matte	MK1-MRAD	20.5	13.1	3.9-3.6	37.2-9.4	0.1 MRAD	15 MRAD	8 MRAD	50-INFINITY	\$399.95	
M-TAC	M-TACTICAL .308											
16517	4-16x42SF Matte	BDC 800	20.6	13.6	3.9-3.6	27.8-6.8	1/4 MOA	55 M0A	20 MOA	50-INFINITY	\$449.95	
M-TAC	TICAL .223											
16518	4-16x42SF Matte	BDC 600	20.6	13.6	3.9-3.6	27.8-6.8	1/4 MOA	55 M0A	20 MOA	50-INFINITY	\$449.95	
For M.TACTICAL Mounts, see page 68-69												

UBE		




30mm MAIN BODY TUBE










On Ballistic Technology

at NikonSportOptics.com/



NO FAULT

LIFETIME

REPAIR/REPLACEMENT

lifetime of real world performance.






indicators are clearly marked on windage and elevation turrets.

P-TACTICAL Reticles

The P-TACTICAL line offers models with the newly designed MK1-MOA and MK1-MRAD reticles, as well as the platform-based, caliber-designated BDC 150, BDC 600, BDC 800, BDC SUPERSUB and BDC CARBINE. The MK1-MOA and MK1-MRAD can be used to estimate range, target size, elevation holdover and winddrift at the designated magnification. An asymmetrical design allows for additional holdover for extreme distance shooting. All Nikon reticles can be optimized for any caliber or load with Spot On Ballistic Technology at NikonSportOptics.com/SpotOn.

			WEIGHT	LENGTH	EYE RELIEF	FOV @	ADJUST	MAX INTERNAL	TRAVEL PER	PARALLAX	
P-TAC	TICAL	RETICLE	(OZ)	(IN)	(IN)	100 YDS	GRAD	ADJUST	ROTATION	(YDS)	SRP
16530	3-9x40 Matte	MK1-MOA	16.9	12.4	3.6-3.6	33.5-11.5	1/4 MOA	75 MOA	20 M0A	100	\$199.95
16531	3-9x40 Matte	MK1-MRAD	16.9	12.4	3.6-3.6	33.5-11.5	0.1 MRAD	20 MRAD	8 MRAD	100	\$199.95
P-TAC	TICAL .308										
16523	4-12x40 Matte	BDC 800	17.5	14.1	3.7-3.7	23.6-7.9	1/4 MOA	55 MOA	20 MOA	100	\$249.95
P-TAC	TICAL 300BLK										
16522	2-7x32 Matte	BDC SUPERSUB	16.2	11.5	3.8	44.6-12.6	1/4 MOA	90 MOA	20 MOA	100	\$199.95
P-TAC	TICAL .223										
16527	1.5-4.5x20 Matte	BDC 600	14.8	10.2	3.5-3.5	63.1-20.4	1/4 MOA	150 MOA	20 M0A	100	\$189.95
16526	3x32 Matte	BDC CARBINE	12.7	8.2	3.4	35.6	1/4 MOA	130 MOA	20 MOA	100	\$149.95
16525	3-9x40 Matte	BDC 600	16.9	12.4	3.6-3.6	33.5-11.5	1/4 MOA	75 MOA	20 M0A	100	\$199.95
16524	4-12x40 Matte	BDC 600	17.5	14.1	3.7-3.7	23.6-7.9	1/4 MOA	55 MOA	20 M0A	100	\$249.95
P-TAC	TICAL RIMFIRE										
16528	2-7x32 Matte	MK1-MOA	16.2	11.5	3.8-3.8	44.6-12.6	1/4 MOA	90 MOA	20 M0A		\$179.95
16529	2-7x32 Matte	BDC 150	16.2	11.5	3.8-3.8	44.6-12.6	1/4 MOA	90 MOA	20 M0A	50	\$179.95
For P-TAI	CTICAL Mounts, see pac	ne 68-69									



ONE-INCH TUBE

INTERCHANGEABLE TURRET

SPRING-LOADED INSTANT ZERO-RESET TURRETS

QUICK FOCUS EYEPIECE

WATERPROOF

SHOCKPROOF

NITROGEN PURGED

DEFINE YOUR SHOOTING EXPERIENCE

Nikon's P-TACTICAL riflescopes provide the features you need to maximize your shooting experience—regardless of the platform you mount it on. Fully multicoated optical systems housed in rugged, one-inch, aircraft-grade aluminum main tubes brighten even the most dismal environments and unforgiving conditions. The versatile 3x zoom ratio (on variable models) provides the field of view at the low end and the detail at the high end to satisfy most shooting demands. If you're a long-distance dialer, P-TACTICAL's hash-marked MK1-MOA or MK1-MRAD reticles are matched to ergonomic turrets with directional indicators to make every come-up—or down—both simple and intuitive. The MK1-MOA reticle is also available in P-TACTICAL Rimfire, for stretching the legs of any rimfire platform. Dedicated caliber models—including rimfire—match the reticle to your preferred caliber, and when used in conjunction with Nikon's free Spot On Ballistic Technology offer exact holdover points for any long-range engagement.

LIFETIME REPAIR/REPLACEMENT



nal components and night vision compatible 2 MOA dot within a shockproof, waterproof, aircraft-grade aluminum body that shrugs off rain, dirt, snow and mud. Both sights feature Nikon's proprietary TRUCOLOR lens-and-coating technology to provide a lifelike

view with both-eyes-open sighting and offer 10 brightness settings, as well as extended battery life.



REFLEX SIGHT

EXTENDED BATTERY LIFE 5-YEAR WARRANTY 10-LEVELS OF BRIGHTNESS





Picatinny Mount Removeable mount included.

FULLY MULTICOATED OPTICS

WIDE FIELD OF VIEW


















FULLY MULTICOATED OPTICS

WIDE FIELD OF VIEW

1x MAGNIFICATION



RED DOT SIGHT

EXTENDED BATTERY LIFE 5-YEAR WARRANTY 10-LEVELS OF BRIGHTNESS INTEGRAL PICATINNY MOUNT

RAISED PROTRUSION





Integral Picatinny Mount

or full co-witness.

Includes spacers to provide 1/3 co-witness

WATERPROOF



TRUCOLOR


SHOCKPROOF



NIGHT VISION COMPATIBLE

P-TAC	TICAL SPUR	RETICLE	BRIGHTNESS SETTINGS	SIGHT WINDOW (WxH) MM	WEIGHT (BODY) (OZ)	L x W x H (IN)	EYE RELIEF (IN)	DOT SIZE	ADJUST. GRAD.	ADJUST. SCREW PRINT (E/W)	' Max. Internai Adjust.	ADJUST. MECHANISM	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
16532	MATTE	RED DOT	10*	27x16	1.1	1.8x1.1x1 Rear HT 0.4	UNLIMITED	3 MOA	1 M0A	1 MOA	120 M0A	FLAT DRIVER	30 M0A		\$219.95
*Initial two brightness settings are night vision compatible.															
BRIGHTNESS SIGHT WINDOW WEIGHT LXWXH EYE RELIEF ADJUST. MAX. INTERNAL ADJUST. TRAVEL PER PARALLAX P-TACTICAL SUPERDOT RETICLE SETTINGS (DIAMETER) MM (BODY) (OZ) (IN) (IN) DOT SIZE GRAD. ADJUST. MECHANISM ROTATION (YDS) SRP														SRP	
16510	MATTE	RED DOT	10*	22	4.2	2.8x1	.7x1.7 U	NLIMITED	2 M0A	1 MOA	100 MOA	FLAT DRIVER**	40 M0A		\$199.95
*flatied bug heightnass satings are gight vision compatible. **Paised controlled and problems as flat driver for adjustments															





its internal adjustment range. With Nikon's MK1-MOA hash mark reticle well integrated into the MONARCH M5 lineup, long-range

dialers will be able to make use of the increased elevation travel. Low profile turrets and caps are ergonomically shaped to

match the riflescope's sleek modern profile, as are its side focus parallax adjustment, zoom ring and ocular focus ring.



30mm MAIN BODY TUBE



INTERCHANGEABLE TURRET



QUICK FOCUS EYEPIECE



SIDE FOCUS PARALLAX ADJUSTMENT



SPRING-LOADED INSTANT ZERO-RESET TURRETS



Spring-Loaded Instant Zero-Reset Turrets

Precise, positive-click ¼-MOA reticle adjustments to get you zeroed quickly and maintain your setting, even with heavy recoil.



Low Profile Aluminum Turret Caps


Low profile turrets and caps are ergonomically shaped to match the riflescope's sleek modern profile, as are its side focus parallax adjustment, zoom ring and ocular focus ring.



Side Focus Parallax Adjustment

Parallax dial allows adjustment without changing

EW	MONARCH	M5	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	F0V-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
	16649	3-12x42SF Matte	BDC	19.2	13.1	3.6 - 3.4	38.3 - 9.4	1/4 MOA	115 M0A	25 MOA		\$499.95
	16650	3-12x42SF Matte	Nikoplex	19.2	13.1	3.6 - 3.4	38.3 - 9.4	1/4 MOA	115 MOA	25 MOA	50 - ∞	\$499.95
	16651	3-12x42SF Matte	MK1-MOA	19.2	13.1	3.6 - 3.4	38.3 - 9.4	1/4 MOA	115 M0A	25 MOA		\$499.95
	16652	4-16x42SF Matte	BDC	19.4	13.6	3.6 - 3.5	28.8 - 7.3	1/4 MOA	85 MOA	25 MOA	50 - ∞	\$549.95
	16653	4-16x50SF Matte	BDC	22.4	14.8	3.6 - 3.4	28.3 - 7.3	1/4 MOA	85 MOA	25 MOA		\$599.95
	16654	4-16x50SF Matte	MK1-MOA	22.4	14.8	3.6 - 3.4	28.3 - 7.3	1/4 MOA	85 MOA	25 MOA	50 - ∞	\$599.95
	16655	5-20x50SF Matte	MK1-MOA	22.2	15.0	3.6 - 3.4	23.0 - 5.8	1/4 MOA	70 M0A	25 MOA		\$649.95



MONARCH M5 Reticles

The new MONARCH M5 line offers models with the newly designed MK1-MOA reticle, as well as the popular BDC and Nikoplex reticle. The MK1-MOA reticle can be used to estimate range, target size, elevation holdover and wind-drift at the designated magnification. The asymmetrical design allows for additional holdover for extreme distances. All Nikon reticles can be optimized for any caliber or load with Spot On Ballistic Technology at NikonSportOptics.com/SpotOn

LIFETIME

REPAIR/REPLACEMENT



The all-new PROSTAFF P5 elevates hunting riflescope performance through a combination of proprietary Nikon optical design, superior glass, durable materials and over 100 years of innovation. Engineered for minimum weight and maximum durability, Nikon builds the PROSTAFF P5 riflescopes' one-inch main tube, zoom ring, focusing eyepiece and turret caps from aircraft-

grade aluminum. Matched knurling on all controls is ergonomically designed for visual appeal and increased grip during use.

PROSTAFF P5 models feature a versatile 4x zoom ratio that offers the wide field of view needed for close-up shots or moving

targets and the increased image detail that comes with higher magnifications. Long-range PROSTAFF P5 models feature a

turret-mounted side focus parallax adjustment to enable fine-tuning of the sight image without changing shooter's position.



ONE-INCH TUBE



INTERCHANGEABLE TURRET



QUICK FOCUS EYEPIECE



SIDE FOCUS PARALLAX ADJUSTMENT



SPRING-LOADED INSTANT ZERO-RESET TURRETS





Aluminum Turret Caps


PROSTAFF P5 features aluminum construction for enhanced durability. Turret caps, zoom ring and eyepiece focus share



Side Focus Parallax Adjustment

Parallax dial allows adjustment without hanging shooting position (except 2.5-10x models).

EW	PROSTAF	F P5	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
	16618	2.5-10x42 Matte	BDC	15.5	12.6	4.0 - 3.8	40.3 - 10.1	1/4 MOA	75 MOA	12 MOA	100	\$229.95
	16619	2.5-10x42 Matte	Nikoplex	15.5	12.6	4.0 - 3.8	40.3 - 10.1	1/4 MOA	75 MOA	12 MOA	100	\$229.95
	16620	3-12x42SF Matte	BDC	17.1	13.1	4.0 - 3.7	33.6 - 8.4	1/4 MOA	60 MOA	12 MOA	50 - ∞	\$279.95
	16621	3-12x42SF Silver	BDC	17.1	13.1	4.0 - 3.7	33.6 - 8.4	1/4 MOA	60 MOA	12 MOA	50 - ∞	\$299.95
	16622	4-16x42SF Matte	BDC	17.3	13.5	4.0 - 3.7	25.2 - 6.3	1/4 MOA	40 MOA	12 MOA	50 - ∞	\$329.95
	16623	4-16x42SF Matte	MK1-MOA	17.3	13.5	4.0 - 3.7	25.2 - 6.3	1/4 MOA	40 MOA	12 MOA	50 - ∞	\$329.95
	16624	4-16x50SF Matte	BDC	20.1	14.7	4.0 - 3.7	25.2 - 6.3	1/4 MOA	40 MOA	12 MOA	50 - ∞	\$379.95
	16625	6-24x50SF Matte	BDC	20.5	15.5	4.0 - 3.6	16.8 - 4.2	1/4 MOA	30 MOA	12 MOA	50 - ∞	\$449.95



PROSTAFF P5 Reticles

The new PROSTAFF P5 line offers models with the newly designed MK1-MOA reticle, as well as the popular BDC and Nikoplex reticles. The MK1-MOA reticle can be used to estimate range, target size, elevation holdover and wind-drift at the designated magnification. The asymmetrical design allows for additional holdover for extreme distances. All Nikon reticles can be optimized for any caliber or load with Spot On Ballistic Technology at NikonSportOptics.com/SpotOn

LIFETIME REPAIR/REPLACEMENT

POLICE FAULT POLICE





WATERPROOF

SHOCKPROOF

NITROGEN PURGED

1" ONE-INCH TUBE

INTERCHANGEABLE TURRET

QF QUICK FOCUS EYEPIECE


QUICKT OCCUS ETELLIES

SPRING-LOADED INSTANT ZERO-RESET TURRETS

Adjustable Objective (on 6-18x models)

The long range 6-18x40A0 models integrate an adjustable objective lens to dial-out parallax from 50-yards to infinity.

W	PROSTAF	F P3	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
	16596	2-7x32 Matte	BDC	14.3	11.5	3.8 - 3.8	44.6 -12.6	1/4 MOA	90 MOA	12 MOA	100	\$149.95
	16590	3-9x40 Matte	Nikoplex	15.0	12.4	3.6 - 3.6	33.5 -11.5	1/4 MOA	75 MOA	12 MOA	100	\$179.95
	16591	3-9x40 Matte	BDC	15.0	12.4	3.6 - 3.6	33.5 -11.5	1/4 MOA	75 MOA	12 MOA	100	\$179.95
	16592	3-9x40 Silver	BDC	15.0	12.4	3.6 - 3.6	33.5 -11.5	1/4 MOA	75 MOA	12 MOA	100	\$189.95
	16594	3-9x50 Matte	Nikoplex	17.8	12.5	3.6 - 3.6	33.5 -11.5	1/4 MOA	75 MOA	12 MOA	100	\$229.95
	16595	3-9x50 Matte	BDC	17.8	12.5	3.6 - 3.6	33.5 -11.5	1/4 MOA	75 MOA	12 MOA	100	\$229.95
	16597	4-12x40 Matte	Nikoplex	15.5	14.1	3.7 - 3.7	23.6 - 7.9	1/4 MOA	55 MOA	12 MOA	100	\$219.95
	16598	4-12x40 Matte	BDC	15.5	14.1	3.7 - 3.7	23.6 - 7.9	1/4 MOA	55 MOA	12 MOA	100	\$219.95
	16599	4-12x40 Matte	Mildot	15.5	14.1	3.7 - 3.7	23.6 - 7.9	1/4 MOA	55 MOA	12 MOA	100	\$219.95
	16600	6-18x40A0 Matte	BDC	17.8	14.6	3.5 - 3.5	15.7 - 5.2	1/4 MOA	35 MOA	12 MOA	50 - ∞	\$249.95
	16601	6-18x40A0 Matte	Mildot	17.8	14.6	3.5 - 3.5	15.7 - 5.2	1/4 MOA	35 MOA	12 MOA	50 - ∞	\$249.95



PROSTAFF P3 Reticles

The new PROSTAFF P3 line offers models with the popular BDC, Mildot or Nikoplex reticles. The Mildot reticle features 1 Mil dot spacing on the crosshair for ranging. All Nikon reticles can be optimized for any caliber or load with Spot On Ballistic Technology at NikonSportOptics.com/SpotOn

FOR EVERY HUNT, THERE'S A PROSTAFF P3

The all-new PROSTAFF P3 riflescope series was designed to deliver Nikon's legendary optical performance and mechanical consistency over a lifetime of tough hunting use. Built on an a new aluminum platform for enhanced durability and modern looks, PROSTAFF P3 models feature a one-inch main body tube and a 3x zoom ratio. The versatile magnification range results in an ideal balance of compact size, wide field of view at the low end and increased detail at the high end. The PROSTAFF P3 lineup also encompasses a full range of specialty scopes, including models for predator hunting rifles, muzzleloaders, shotguns/slug guns, rimfire target rifles/air guns and crossbows.

28

LIFETIME

REPAIR/REPLACEMENT







Spring-Loaded Instant Zero-Reset Turrets


Precise, positive-click ¼-MOA reticle adjustments to get you zeroed quickly and maintain your setting, even with heavy recoil.



Aluminum Turret Caps

PROSTAFF P3 Predator Hunter features aluminum construction for enhanced durability. Turret caps, zoom ring and eyepiece focus share ergonomic knurling design.

NEW		TAFF P3 Ator Hunter	RETICLE	WEIGHT (0Z)	LENGTH (IN)	EYE RELIEF (IN)	F0V-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
	16609	3-9x40 Matte	BDC PREDATOR	15	12.4	3.6-3.6	33.5-11.5	1/4 MOA	75 MOA	12 MOA	100	\$249.95
	16610	4-12x40 Matte	BDC PREDATOR	15.5	14.1	3.7-3.7	23.6-7.9	1/4 MOA	55 MOA	12 MOA	100	\$299.95



BDC PREDATOR

Nikon's BDC Predator Reticle.

This proprietary predator hunting reticle is designed to facilitate shots at moving targets. Featuring "stepped" ballistic open-design circles, the Predator reticle doesn't obscure the sight picture and makes shots at distant or smaller targets easier. Can be optimized with Spot On Ballistic Match Technology for various calibers and loads.

PROSTAFF MUZZLELOADER

1-INCH MAIN BODY TUBE

SPRING-LOADED INSTANT ZERO-RESET TURRETS

BDC 300 MUZZLELOADER

Nikon's BDC 300 Reticle

This trajectory-compensating

reticle integrates unique, easy-



FULLY MULTICOATED OPTICS

3x ZOOM RATIO

GENEROUS, CONSISTENT EYE RELIEF





THE RIGHT TOOL FOR LONG-RANGE MUZZLELOADING

Nikon's new purpose-built muzzleloader scope sports a new name, and new performance and durability features. Bright, fully multicoated optics ensure high light transmission while crisp, positiveclick 1/4-MOA low-profile turrets and Nikon's proven BDC 300 reticle are designed specifically for use with inline type muzzleloaders.




REPAIR/REPLACEMENT











Optional matte and silver sunshades are available

Spring-Loaded Instant Zero-Reset Turrets Precise, positive-click 1/4-MOA



Aluminum Turret Caps PROSTAFF P3 Muzzleloader features aluminum construcreticle adjustments to get you tion for enhanced durability. zeroed quickly and maintain your Turret caps, zoom ring and setting, even with heavy recoil. eyepiece focus share ergonomic knurling design.

to-see "ballistic circles" that provide instant aiming points and take the guesswork out of holdover at longer ranges. Optimized for use with Nikon's Spot On Ballistic Match Technology, the BDC 300 allows you to get exact aiming points at various yardages with virtually any load imaginable.

Nikon's BDC 200 Reticle

1-INCH

MAIN BODY TUBE

The trajectory-compensating BDC 200 slug gun reticle integrates unique, easy-to-see "ballistic circles" that provide instant aiming points and take the guesswork out of holdover at longer ranges. Optimized for use with Nikon's Spot On Ballistic Match Technology, the BDC 200 provides exact aiming points at various yardages with virtually any load imaginable.

BDC 200 SHOTGUN

Spring-Loaded Instant Zero-Reset Turrets Precise, positive-click 1/4-MOA

reticle adjustments to get you setting, even with heavy recoil.



Aluminum Turret Caps PROSTAFF P3 Shotaun

features aluminum construction for enhanced durability. zeroed quickly and maintain your Turret caps, zoom ring and eyepiece focus share ergonomic knurling design.



WATERPROOF



NITROGEN PURGED

ONE-INCH TUBE

INTERCHANGEABLE TURRET

QUICK FOCUS EYEPIECE

SPRING-LOADED INSTANT ZERO-RESET TURRETS

TAKE YOUR SLUG **GUN LONGER RANGE**

The new PROSTAFF P3 SHOTGUN scope line helps extend the effective range of your slug gun to 200 yards and beyond. An ideal match for today's powerful slug loads, these compact and versatile optics feature Nikon's BDC 200 reticle, precise 1/4 MOA adjustments with Spring-Loaded Instant Zero-Reset Turrets and fully multicoated optics for maximum light transmission. Offered in two configurations: 2-7x32 and 3-9x40, both with the BDC 200 reticle.



REPAIR/REPLACEMENT

Optional sunshade available for 3-9x40 model.

WEIGHT LENGTH EYE RELIEF FOV-FT @ ADJUST MAX INTERNAL TRAVEL PER PARALLAX

NEW PROSTAFF P3 SHOTGUN RETICLE (OZ) (IN) (IN) 100 YDS GRAD ADJUST ROTATION (YDS) SRP BDC 200 14.3 11.5 3.8-3.8 44.6-12.6 1/4 MOA 90 MOA 12 MOA 100 \$159.95 16602 3-9x40 Matte BDC 200 15.2 11.4 5-5 25.1-8.4 1/4 MOA 55 MOA 12 MOA 100 \$199.95







THE RIGHT CHOICE FOR YOUR NEXT HUNT

Nikon's BUCKMASTERS II riflescope is designed for deer hunters across North America. Fully multicoated lenses and Nikon's favored BDC reticle provide highresolution images during the peak deer movement windows of dawn and dusk. From the humid swamps of the South to the blistering cold wilderness of Canada, the BUCKMASTERS II will continue to be a preferred scope for deer hunters.



BUCKI	MASTERS II	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD @ 100 YDS	MAX INTERNAL ADJUST	TRAVEL PER ROTATION @ 100 YDS	PARALLAX (YDS)	SRP
16338	3-9x40 Matte	BDC	13.1	12.3	3.6-3.6	33.8-11.3	1/4 inch	80 MOA	12"	100	\$129.95
16339	4-12x40 Matte	BDC	13.6	14	3.7-3.7	23.6-7.9	1/4 inch	60 MOA	12"	100	\$149.95
16419	3-9x50 Matte	BDC	15.9	12.4	3.6-3.6	33.8-11.3	1/4 inch	80 MOA	12"	100	\$159.95

LIFETIME REPAIR/REPLACEMENT

1-INCH MAIN BODY TUBE



GENEROUS, CONSISTENT EYE RELIEF

BDC HANDGUN

3x ZOOM RATIO

BDC

The BDC reticle allows hunters to hold 'deadon' at ranges exceeding those previously thought possible. The BDC's unique seethrough ballistic circles offer an incredible advantage for long-range shooting, yet allow

a normal sight picture for shorter-range shots

where the crosshair itself is the aiming point.








GENEROUS, CONSISTENT EYE RELIEF



















WATERPROOF

SHOCKPROOF

ONE-INCH TUBE

IITROGEN PURGED

INTERCHANGEABLE TURRET

SPRING-LOADED INSTANT ZERO-RESET TURRETS



EXTENDED EYE RELIEF HANDGUN SCOPES

Nikon has become the master of creating specific reticle technologies and optical platforms for the needs of the hunter. FORCE XR extended eye relief handgun scopes are no exception. Engineered with the option of Nikon's unique BDC Handgun reticle, the FORCE XR can be optimized with Nikon's Spot On Ballistic Match Technology to take the guesswork out of compensating for bullet drop of your favorite handgun cartridge and load.



PRECISION OPTIC FOR CROSSBOW HUNTERS

The new PROSTAFF P3 CROSSBOW is the ideal choice for hunters looking to upgrade the optic on their crossbows this season. Signature Nikon optical performance coupled with a proprietary BDC reticle designed specifically to maximize the range and efficiency of today's hunting crossbows.



REPAIR

and the same of		_0		
N	0			
FA	Nr.	П		
POL	10	Ľ		
IFE				
?/RE	PLA	CEM	1EN	Т

	FORCE	: XR	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD @ 100 YDS	MAX INTERNAL ADJUST	TRAVEL PER ROTATION @ 100 YDS	PARALLAX (YDS)	SRP
	8468	2.5-8x28 EER Matte	BDC Handgun	14.5	9.8	12-30 (at 2.5x) 9-13 (at 8x)	13.1-4.1	1/4 inch	40 MOA	12"	100	\$289.95
	8469	2.5-8x28 EER Silver	BDC Handgun	14.5	9.8	12-30 (at 2.5x) 9-13 (at 8x)	13.1-4.1	1/4 inch	40 MOA	12"	100	\$299.95
	8470	2x20 EER Matte	Nikoplex	7.4	8.2	9.7-22.4	20.4	1/2 inch	120 MOA	24"	100	\$189.95
	8471	2x20 EER Silver	Nikoplex	7.4	8.2	9.7-22.4	20.4	1/2 inch	120 MOA	24"	100	\$199.95
EW	PROS1	TAFF P3 CROSSBOW	RETICLE	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (IN)	FOV-FT @ 100 YDS	ADJUST GRAD	MAX INTERNAL ADJUST	TRAVEL PER ROTATION	PARALLAX (YDS)	SRP
	16608	3x32 Matte	BDC 60	10.9	8.2	3.4	35.6	1 MOA	130 MOA	48 MOA	20	\$159.95



RIMFIRE

A RIMFIRE RIFLESCOPE MODEL FOR EVERY USE

Nikon's RIMFIRE riflescope series has a scope model for virtually any rimfire rifle. The P-TACTICAL RIMFIRE riflescope offers a 2-7x32 optical system and choice of either a hash mark MK1-MOA or caliber-designated BDC 150 Reticle. The fully multicoated optical system of the PROSTAFF RIMFIRE II delivers naildriving precision to rimfire long rifles. PROSTAFF P3 Target EFR with Adjustable Objective is well suited for either rimfire or air rifles.

Every RIMFIRE model will extract optimal accuracy from rimfire rifles, especially when used with Spot On Ballistic Match Technology.



LIFETIME REPAIR/REPLACEMENT



P-TACTICAL RIMFIRE 6528 2-7x32 Matte MK1-MOA 16.2 11.5 3.8-3.8 44.6-12.6 1/4 MOA 90 MOA 20 MOA 50 \$179.95 16529 2-7x32 Matte BDC 150 16.2 11.5 3.8-3.8 44.6-12.6 1/4 MOA 90 MOA 20 MOA 50 \$179.95

The P-TACTICAL RIMFIRE scope offers models with the newly designed MK1-MOA reticle, as well as the caliber-designated BDC 150 (see next page for RIMFIRE II & EFR). The MK1-MOA reticle can be used to estimate range, target size, elevation holder and wind-drift at designated magnification.



16329 3-9x40 Matte

16330 4-12x40 Matte

(1-INCH)

MAIN BODY TUBE

RIMFIRE

MK1-MOA















PROSTAFF RIMFIRE

Designed specifically for rimfire, the BDC 150 reticle allows shooters to compensate for bullet drop at extended shooting distances. The BDC's unique see-through ballistic circles offer an incredible advantage for long-range shooting—yet allow a normal sight picture for shorter-range shots where the crosshair itself is the aiming point.



WATERPROOF



NITROGEN PURGED





INTERCHANGEABLE TURRET



QUICK FOCUS EYEPIECE




BDC 150 13.1 12.3 3.6-3.6 33.8-11.3 1/4-INCH 80 MOA 12"

PRECISION 16.6 12.5 3.6-3.6 33.5-11.5 1/4 MOA 75 MOA 12 MOA 10 -∞ \$189.95

BDC 150 13.6 14 3.7-3.7 23.6-7.9 1/4-INCH 60 MOA 12"

NEW PROSTAFF P3 TARGET EFR RETICLE (0Z) (IN) (IN) 100 YDS @ 100 YDS ADJUST GRAD MAX INTERNAL ROTATION @ 100 YDS ADJUST @ 100 YDS

SPRING-LOADED INSTANT ZERO-RESET TURRETS



PRECISION



PURPOSE-DRIVEN

PROSTAFF TARGET EFR



is engineered for air rifle, 22 LR and other applications where the versatility of focusing on smaller targets at extended ranges—both close and distant— is needed. To facilitate this sharp focus at closer ranges, the PROSTAFF P3 TARGET EFR integrates an adjustable objective lens that allows the shooter to dial

out parallax at any distance from 10

yards to infinity.





equipped with Nikon's ID Technology that delivers the one number you need for determining your best shot.

Tru-Target Technology

Enables you to choose between two different ranging modes, depending on the situation.



First Target Priority Mode

Provides the exact distanamong a group of targets being measured. In this mode, you can easily range an object as small as a




Distant Target Priority Mode

Displays the range of the farthest target among a group of targets measured. This feature is especially useful if the subject is located behind tall grass or brush.











4,000 YARD MEASUREMENT RANGE


Maximum measurement distance* Reflective Target - 4,000 yards Maximum measurement distance* Tree - 1,700 yards

Maximum measurement distance* Deer - 1,500 yards























BLACK RANGEFINDER TRIPOD MOUNT

Squeeze every yard of capability and speed from your BLACK RANGEX 4K rangefinder with this proprietary tripod mount. Designed for easy mounting of the rangefinder to a tripod for ultra-steady ranging, the BLACK RANGEX 4K Tripod Mount can utilize either the integral ARCA Swiss release system or traditional 1/4"-20 tripod socket for attachment. Durable, lightweight 6063 T6 aluminum alloy construction.



ID [INCLINE/DECLINE] TECHNOLOGY

Nikon's advanced ID [Incline/Decline] Technology provides the horizontal distance to the target, even when ranging at various incline or decline shooting angles—up to an incredible +/- 89 degrees [nearly vertical up or down].



The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.





Reflective Target - 3,000 yards Maximum measurement distance*

Maximum measurement distance*

Tree - 1,100 yards

Deer - 1,000 yards









OLED DISPLAY



ID TECHNOLOGY



STABILIZED







First Target Priority Mode

Provides the exact distance to the closest object among a group of targets being measured. In this mode, you can easily range an object as small as



Distant Target Priority Mode

Displays the range of the farthest target among a group of targets measured. This feature is especially useful if the subject is located behind tall grass or brush.



STABLE VIEW (WITH STABILIZED)



ID [INCLINE/DECLINE] TECHNOLOGY

Nikon's advanced ID [Incline/Decline] Technology provides the horizontal distance to the target, even when ranging at various incline or decline shooting angles—up to an incredible +/- 89 degrees [nearly vertical up or down].

MONARCH 3000	MAG.	EYE RELIEF F	REAL ANGULAR FOV	FOV @ 1000	MAX RANGE	MAX RANGE	MAX RANGE	WEIGHT (W/O	SIZE (LxHxW)	SRP
STABILIZED	OBJ DIA.	(MM)	(DEGREES)	YARDS (FT)	(REFLECTIVE)*(YDS)	(TREE)*(YDS)	(DEER)*(YDS)	BATTERIES (OZ)	(IN)	
16556	6x21	18.0	7.5	39.3	3,000	1,100	1,000	6.9	3.8x2.9x1.7	\$419.95

"Under Nikon's measurement conditions and reference values.

The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.



a 8-2,000 yard* measurement range to the long-range hunter. With 1/2-yard precision** displayed in 0.1-yard incre-

or shooting endeavor—whether bowhunting from a tree stand or executing incredibly long range shots.

ments, Tru-Target™ Priority System and Nikon's ID (Incline/Decline) Technology, MONARCH 2000 is up to any hunting

Tru-Target Technology

Enables you to choose between two different ranging modes, depending on the situation.



First Target Priority Mode

Provides the exact distance to the closest object among a group of targets being measured. In this mode, you can easily range an object as small as a fence post.



Distant Target Priority Mode

Displays the range of the farthest target among a group of targets measured. This feature is especially useful if the subject is located behind tall grass or brush.





WIDE FIELD OF VIEW



LONG EYE RELIEF



*Ranging Performance – 2,000 yds. Reflective Targets 1,200 Tree/1,100 yds. Deer **Accuracy = 0.5 yd to 700 yds; 10 yd to 999 yds; 1.5 yds to 1000 yds and beyond



WATERPROOF
















Focusing Diopter Allows Crisp, Sharp Focus



ID [INCLINE/DECLINE] TECHNOLOGY

Nikon's advanced ID [Incline/Decline] Technology provides the horizontal distance to the target, even when ranging at various incline or decline shooting angles—up to an incredible +/- 89 degrees [nearly vertical up or down].

NEW	MONARCH 2000	MAG. OBJ DIA.	EYE RELIEF R (MM)	EAL ANGULAR FOV (DEGREES)		MAX RANGE (REFLECTIVE)*(YDS)	MAX RANGE (TREE)*(YDS)		WEIGHT (W/O BATTERIES (OZ)	SIZE (LxHxW) (IN)	SRP
	16661	6x21	18.0	7.5	39.3	2,000	1,200	1,100	6.1	3.8x2.9x1.7	\$299.95


* Under Nikon's measurement conditions and reference va

The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.







Normal Glass

ED Glass

30.9 5.8x5.2x2.8 \$1,199.95

Turn and Slide Eyecups Allow users to adjust the eye-relief for a custom fitproviding a full field of view and maximum comfort during extended periods of use.

Rangefinder Binocular with 10-1,900 yard range*

Maximum measurement distance* Reflective Target - 1,900 yards

Maximum measurement distance* Tree - 1,400 yards

Maximum measurement distance* Deer - 1,100 yards

*Under Nikon's measurement conditions and reference values.



BRIGHT OLED DISPLAY

High visibility red display provides ideal contrast on distant targets. 4-step intensity adjustment.



PROSTAFF 1000 i









PROSTAFF 1000

MULTILAYER COATING











ARROWID 3000 **BOWHUNTING LASER** RANGEFINDER

Tailored to the range-finding needs of archery hunters and competitors, the ARROW ID 3000 calculates the shot slope and distance, immediately providing your "shoot-for" distance. With a durable and ergonomic design, water resistant/rainproof housing, and refreshing eye relief, the engineers had the serious archery hunter and shooter in mind. Tru-Target Priority and Nikon's ID (Incline/ Decline) Technology remove the guesswork out of your shot's equation so you can focus on the most critical aspect of your hunt or competition: making your

NEW	PROSTAFF 1000i	MAG. OBJ DIA.	EYE RELIEF F	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)*(YDS)	MAX RANGE (TREE)*(YDS)	MAX RANGE (DEER)*(YDS)	WEIGHT (W/O BATTERIES (OZ)	SIZE (LxHxW) (IN)	SRP
	16663	6x20	16.7		31.4	1,000	800	600	4.6	3.6x2.9x1.5	\$199.95
NEW	PROSTAFF 1000										
	16664	6x20	16.7		31.4	1,000	800	600	4.6	3.6x2.9x1.5	\$169.95
	ARROW ID 3000	MAG. OBJ DIA.	EYE RELIEF F	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLEC	CTIVE)*(YDS)	WEIGHT (W. BATTERIES (SIZE (LxHxW) (IN)	SRP
	16224	4x20	20.3		47.2	550		4.8	3	.6x2.9x1.5	\$199.95


The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.





Multilayer coatings, which provide an even higher light transmittance across the entire visible light spectrum, are applied to all of the lens and prism surfaces that transmit light. This minimizes the loss of light due to reflection, thereby ensuring a more natural, clearer view.



Dielectric high-reflective multilayer prism coating is applied to a roof prism unit that does not feature total internal reflection. This boosts light reflectivity of more than 99% (designed value) for the full visible range, giving you clearer whites and a sharper, brighter, more natural vision across the entire field of view.






Nikon's ED Glass reduces chromatic aberration to a remarkable degree, providing clear images with superior contrast.



MONARCH HG

















TRIPOD ADAPTABLE



Turn and Slide Eyecups Allow users to adjust the eye-relief for a custom fitproviding a full field of view and maximum comfort during

extended periods of use.



More Agile. Because a binocular of this significance must always perform and do so without weighing you down, MONARCH HG's body is die-cast magnesium alloy. Providing optimum strength, impact resiliency and weight reduction, the slim body profile is further enhanced with rubberized panels to provide a sure grip in any conditions.




THE MOST AWARDED MONARCH, EVER. NOW IN 30MM!

Every precious moment you spend in the field deserves the advantage of extraordinary performance. The new MONARCH HG 30mm series follows in the footsteps of its award-winning 42mm siblings in delivering class-ruling optical performance, unrivaled ruggedness and exceptional handling. Engineered throughout to match the performance specifications of the original 8x42 and 10x42 models, the new 30mm MONARCH HG binoculars do so in a smaller size and nearly eight ounce reduction in weight.

	MONAR	CH HG	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
NEW	16575	8x30	BLACK	16.2	8.3	435	6.6	15.9	4.7x5	\$949.95
NEW	16576	10x30	BLACK	15.2	6.9	362	6.6	15.9	4.7x5	\$969.95
	16027	8x42	BLACK	17.8	8.3	435	6.6	23.5	5.7x5.2	\$979.95
	16028	10x42	BLACK	17	6.9	362	6.6	24	5.7x5.2	\$999.95

LIFETIME

REPAIR/REPLACEMENT





FULLY MULTICOATED OPTICS































NITROGEN PURGED



TRIPOD ADAPTABLE













LIGHTWEIGHT CHAMPION OF DAWN & DUSK

Even with an uncontested heritage of all-conditions optical performance, the MONARCH 5 further elevates its game with improved agility and advanced low light brilliance. The addition of Nikon's ED glass lenses puts it in a class of its own for battling darkness with sharp, high-contrast views. The rubber-armored coating provides a non-slip grip in even the toughest environments.

MONA	RCH 7	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7579	8x30	BLACK	15.1	8.3	435	6.6	15.3	4.7x4.8	\$379.95
7580	10x30	BLACK	15.8	6.7	351	6.6	15.5	4.7x4.8	\$399.95
7548	8x42	BLACK	17.1	8.0	420	8.2	22.9	5.6x5.1	\$479.95
7549	10x42	BLACK	16.5	6.7	351	8.2	23.3	5.6x5.1	\$499.95
MONA	RCH 5								
7576	8x42	BLACK	19.5	6.3	330	8.2	20.8	5.7x5.1	\$279.95
7577	10x42	BLACK	18.4	5.5	288	8.2	21.2	5.7x5.1	\$299.95
7578	12x42	BLACK	15.1	5.0	262	8.2	21.2	5.7x5.1	\$319.95
7583	20x56	BLACK	16.4	3.3	173	16.4	43.6	7.8x5.7	\$899.95



PROSTAFF

PASSION INSPIRED PERFORMANCE

Nikon's PROSTAFF 7S 10x42 is a lightweight, easy to hold, all-terrain binocular that features an advanced optical system designed to deliver sharper images. Thanks to fully multicoated lenses and Phase-Correction Coated Roof Prisms, every model in the PROSTAFF 7S series provides the quality, brightness and resolution that make it the perfect accessory for almost any outdoor activity.



LIFETIME REPAIR/REPLACEMENT

16001 10x30 BLACK

BLACK

BLACK

TrueTimber® KANATI 15.5 6.2

13.1 22.9 6.6x5.1 \$189.95 13.1 22.8 6.5x5.1 \$199.95

325 13.1 22.8 6.5x5.1 \$219.95

PROSTAFF 7s





PROSTAFF 🗏

BUILT TO HUNT AS HARD AS YOU DO

When hunting conditions are at their worst, PROSTAFF 5 Binoculars can be trusted to still give you the vision you demand. PROSTAFF 5 Binoculars feature superb optics, ergonomic design and waterproof, fogproof performance.

PROSTAFF Es

THE POWER OF PERFORMANCE

The PROSTAFF 3S binocular lives up to its namesake with bright, multicoated optics, wide field of view, long eye relief, and waterproof/fogproof performance. Notably lightweight and compact, the PROSTAFF 3S is a standout binocular for those lookng for rugged-yet-portable optics worthy of any adventure.



WATERPROOF

PROST	TAFF 5	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7572	10x50	BLACK	19.6	5.6	293	16.4	28.7	7.4x5.5	\$199.95
7573	12x50	BLACK	15.5	4.7	246	16.4	27.9	7.4x5.5	\$219.95
PROS	TAFF 3s								
16030	8x42	BLACK	20.2	7.2	377	9.8	19.9	6x5.1	\$119.95
16031	10x42	BLACK	15.7	7.0	367	9.8	20.3	5.9x5.1	\$129.95



VERSATILITY FOR EUERY SITUATION

The ACULON Series binoculars are great for a variety of hunting applications, thanks to the wide range of magnifications and sizes that are available. ACULON binoculars are a quality, cost-effective choice and a great fit for almost any activity.

ACULON A211

ACULON A211 binoculars feature multilayercoated optics to deliver a high quality image under a multitude of lighting conditions, making these binoculars effective during those ever-important low-light hours of hunting near dawn and dusk. These binoculars have a central focus knob, a fully rubber armored body, and turn-and-slide rubber eyecups to simplify use with eyewear.

ACULON A211 8244 7x35 8245 8x42 BLACK 12 BLACK 17.6 335 26.2 31.9 7.1x7.8 \$109.95 341 23 31.7 7x7.8 \$119.95 8249 12x50 BLACK 11.5 272 26.2 32.1 7x7.8 \$129.95 220 29.5 32.6 7x7.8 \$139.95 8252 | 10-22x50 Zoom* | BLACK 8.6@10x | 3.8 | 199@10x | 49.2@10x | 33.9 | 7.8x7.8 | \$179.95

* Includes free Tripod Adapter



TURN & SLIDE EYECUPS Perfect for use with or

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

ASPHERICAL EYEPIECE LENSES

MULTILAYER COATING

MULTILAYER COATING

Multilayer-coated lenses for brighter images.

for brighter images.

Offer flat viewing field. (Except Zoom

RUBBER ARMOR

Provides a good grip, wet or dry.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.

LIFETIME REPAIR/REPLACEMENT

8-24x ZOOM RANGE Offers flexibility for a variety of situations. TURN & SLIDE EYECUPS SMOOTH CENTRAL FOCUS Perfect for use with Makes sharp focus simple. or without eyeglasses. PORRO PRISM SYSTEM Offers a bright view. RUBBER PANELS For easy gripping. COMPACT SIZE Fits into pocket or pack.

ACULON T11

The ACULON T11 ZOOM binocular is a portable, pocket-sized option. With the option of changing magnification anywhere between 8-power and 24-power through a centrally located zoom lever, this binocular will prove to be extremely versatile in many different circumstances. Turn-and-slide rubber eyecups simplify use with or without eyewear.



LIFETIME

REPAIR/REPLACEMENT

Makes sharp focus simple.

TURN & SLIDE EYECUPS

DUAL HINGE DESIGN To fit in pocket.

ACULON A30

A compact, lightweight roof prism binocular that is perfect for the hunt where you need to pack light. A smooth central focus knob and dual-hinge design are among its features. Available in 10x25 magnification, in black or TrueTimber® KANATI.

	ACUL T11 Z		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
	7334	8-24x25	BLACK	13@8x	4.6	241@8x	13.1	10.8	4.8x4.3	\$149.95
	ACUL	ON A30								
	8263	10x25	BLACK	13	5.0	262	9.8	9.7	4.8x4.5	\$69.95
VEW	16641	10x25	TrueTimber® KANATI	13	5.0	262	9.8	9.7	4.8x4.5	\$79.95















Compass Display




RUGGED ALL-TERRAIN BINOCULARS

The Action Extreme is a Porro prism with the waterproof and fogproof attributes of other Nikon All Terrain Binoculars. Nikon's lead-and-arsenic-free lenses and prism systems result in a high quality glass that is also lighter in weight. Each model features quick central focus knob, rubber armored body and multi-click turn-and-slide eyecups.















Fishermen, boaters and mariners of every description should have at least one binocular on board their vessel. Whether you're exploring the flats for surface disturbances on a calm morning of tarpon fishing, checking out the tackle setup of the boat getting all the action or looking for a distant navigation marker, a 7x50 marine binocular is your ticket. Nikon's OceanPro binocular, with integral global compass, is designed for use in both Northern Hemisphere and Southern Hemisphere locations and features 7x magnification and 50mm objectives, to provide optimum viewing even in rough water.

OCEANP	RO CF WP	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7440	7x50	BLACK	22.7	7.2	378	33	38	7.6x8.0	\$249.95
16026	7x50 Global Compass	BLACK	22.7	7.2	377	33	39.9*	7.6x8.0	\$299.95

ACTION	EXTREME	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7237	7x35	BLACK	17.3	9.3	488	16.4	28.2	4.7x7.2	\$129.95
7238	8x40	BLACK	17.2	8.2	430	16.4	30.2	5.5x7.4	\$149.95
7239	7x50	BLACK	17.1	6.4	335	23.0	35.3	7.0x7.7	\$159.95
7245	10x50	BLACK	17.2	6.5	341	23.0	36.0	7.0x7.7	\$179.95
7246	12x50	BLACK	16.1	5.5	288	23.0	36.9	7.0x7.7	\$189.95
7247	16x50	BLACK	17.8	3.5	183	23.0	36.7	7.0x7.7	\$219.95

LIFETIME

REPAIR/REPLACEMENT



SPECIALTY BINOCULARS

WX

BINOCULAR OF THE CENTURY

The WX. in 7x50 and 10x50. is a hand-built, super-wide angle binocular delivering the widest field of view in Nikon's 101-year history, making it perfect for highly critical astronomical observation or highly-critical field use. Superior magnification and an incredible Apparent FOV (76.4° for the 10x50) make these your go-to optics for comet watching, stargazing or glassing entire hillsides without panning. This individual eye focus binocular features Abbe-Koenig prisms, which offer total reflection on all surfaces for a high light transmission rate. Tripod Adapter and hard case included. Objective lenses with filter threads to accept a 55mm filter (P=0.75) round out its features.





against thermal shock.

MULTILAYER COATING Multilayer-coated lenses

for brighter images.

SMOOTH CENTRAL FOCUS KNOB Fast range of focus for quick viewing.

LONG EYE RELIEF

Provides 15mm or more of eye relief (12mm+ for compacts). Perfect for

RUBBER-ARMORED COATING

Provides a fast, sure, non-slip grip.

BAK4 HIGH INDEX PRISMS

Provide extra-high resolution images.

TRAILBLAZER

ROOF PRISM DESIGN Folds to fit in pocket

MULTILAYER COATING

for brighter images.

SMOOTH CENTRAL FOCUS KNOB Fast range of focus for quick viewing.

WATERPROOF

O-ring sealed to prevent moisture from entering body.

FOGPROOF

Nitrogen purged for total reli-ability against thermal shock.

Experienced hunters know that a

COMPACTS

good compact is worth its weight in gold. When every ounce counts, Nikon's Compacts give you the resolution to pick out horns from tree branches and glass big areas with ease.



LIFETIME REPAIR/REPLACEMENT

220 13.1 9.7 4.3x4.6 \$119.95

TRAUELITE

BAK4 HIGH INDEX PRISMS Provide extra-high resolution images.

MULTILAYER COATING


Multilayer-coated lense for brighter images.



563 40.4 85.4 10.7x6.7 \$5,999.95 **PROSTAFF** 7485 10x25 9.2 12.9 4.0x4.5 \$139.95 TRAILBLAZER 8218 10x25 342 11.5 9.9 4.1x4.5 \$89.95 TRAVELITE 9.5 4.3x4.6 \$109.95

TAKE IT WITH YOU







A BETTER LOOK AT YOUR WORLD

True to its legendary name and reputation, the MONARCH Fieldscope pushes long-range viewing capability to an entirely new level for adventurous hunters and long-range shooters. Delivering a full complement of Nikon optical technologies engineered for an incredibly bright, clear, high resolution view across the entire viewing field, the flagship MONARCH Fieldscope makes long days of viewing both satisfying and strain-free.

With an innovative focusing system that reduces high-magnification scope movements and tough, lightweight aluminum alloy construction, the MONARCH Fieldscope assures its owner of a lifetime of high performance optical capability, mechanical precision and all-out ruggedness.

MONARCH FIELDSCOPE MEP EYEPIECES

MEP-30-60W

Nikon has developed eyepieces exclusively for MONARCH Fieldscopes. Each employs an optical system, and a Field Flattener Lens System that delivers consistent sharpness and clarity across the entire field of view.

MEP-20-60


MEP-38W




MEP-30 FS-MRAD

NEW MONARCH MEP-30 EYEPIECES WITH FS-MRAD OR FS-MOA RETICLE: ENGINEERED FOR THE TACTICAL **SPOTTER**

The new MEP-30 reticle eyepieces allow a spotter to locate and focus on the same target in the reticle as the shooter and then communicate reference points and follow-up shot corrections. Integral FS-MRAD or FS-MOA reticle includes milling scale for highly detailed measurements of targets. Can be fitted to straight or angled body 82mm or 60mm MONARCH Fieldscopes. 30x magnification on 82mm Fieldscope bodies and 24x magnification on 60mm Fieldscope bodies.







LIFETIME REPAIR/REPLACEMENT

	MONAR FIELDS		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	LENGTH* (IN)	SRP
	16102	60ED-S w/MEP-20-60	BLACK	16.1 - 15.3	2.6 - 1.2	135 - 63	10.8	56.7	10.3/11.2	\$1,399.95
	16103	60ED-A w/MEP-20-60	BLACK	16.1 - 15.3	2.6 - 1.2	135 - 63	10.8	56.4	10.6/11.5	\$1,399.95
	16100	82ED-S w/MEP-20-60	BLACK	16.1 - 15.3	2.1 - 1.0	111 - 51	16.4	70.5	12.8/14.0	\$1,599.95
	16101	82ED-A w/MEP-20-60	BLACK	16.1 - 15.3	2.1 - 1.0	111 - 51	16.4	70.1	13.1/14.3	\$1,599.95
W	16686	82ED-A w/ MEP-30 FS-MRAD	BLACK	15.2	2.0		16.4	74.4	13.1/14.3	\$1,699.95
W	16687	82ED-A w/ MEP-30 FS-MOA	BLACK	15.2	2.0	105	16.4	74.4	13.1/14.3	\$1,699.95
		*With and without hood fully e	extended							

	MEP E	YEPIECES	W/FIELDSCOPE BODY	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	F0V @ 1000 YDS (FT)	WEIGHT* (0Z)	SIZE (Lx0.D.)* (IN)	SRP
	16108	MEP-38W	60MM 82MM	30x 38x	18.5	2.5 2	132 105	9.5	2.9x2.4	\$299.95
	16109	MEP-20-60	60MM 82MM	16x-48x 20x-60x	16.1-15.3**	2.6-1.2** 2.1-1.0**	135-63** 111-51**	12.3	3.5x2.4	\$299.95
	16110	MEP-30-60W	60MM 82MM	24x-48x 30x-60x	15.2-14.2**	2.5-1.5** 2.0-1.2**	132-78** 105-63**	14.1	3.6x2.4	\$549.95
W	16646	MEP-30 FS-MRAD	60MM 82MM	24x 30x	15.2	2.5 2.0	131 105	16.6	3.5x2.4	\$449.95
W	16647	MEP-30 FS-MOA	60MM 82MM	24x 30x	15.2	2.5 2.0	131 105	16.6	3.5x2.4	\$449.95



FIELDSCOPE 50MM ED 50ED-A WATERPROOF FULLY MULTICOATED OPTICS NITROGEN PURGED TRIPOD ADAPTABLE

SMALL, YET MIGHTY

The Fieldscope 50mm ED is incredibly compact and lightweight, perfect for tucking into your pack for all your hunting adventures. Nikon's ED glass delivers extremely bright, sharp true color images. Straight or angled body models.



FIELD	SCOPE 50MM ED	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	BODY SIZE (LxW)(IN)	SRP
8320	13-30x50ED-S	DK GREY	12.9@13x		157@13x	9.8	16.0	8.2x2.8	\$829.95
8321	13-30x50ED-A	DK GREY	12.9@13x	3	157@13x	9.8	16.6	8.1x2.8	\$829.95



WHERE POWER MEETS PRECISION

The PROSTAFF 5 Fieldscope offers a wide field of view and superb viewing in all conditions. It is engineered for precision and high magnification capability. Multilayer-coated lenses and prisms provide you with superb brightness. Super-fast bayonet eyepieces make scouting wide areas simple. Easy-to-pack and easy-to-use.

PROSTAFF E

GRAB IT AND GO

The PROSTAFF 3 Fieldscope Outfit combines quality optics in a compact, rugged package for a take-anywhere spotter. The fully multicoated optics and 16-48x Zoom eyepiece guarantee you the best in versatility and performance. Packaged as an outfit, with compact tripod and carry case, the PROSTAFF 3 Fieldscope is ready for your next outing.

PROST	AFF 5	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	LENGTH (IN)	SRP
6974	20-60x82-S	BLACK	16.9	2.1	109	20	41.4	14.8x3.7	\$599.95
6975	20-60x82-A	BLACK	16.9	2.1	109	20	41.8	15.4x3.7	\$599.95
6976	16-48x60-S	BLACK	16.9	2.6	136	13.1	34	11.4x3.3	\$499.95
6977	16-48x60-A	BLACK	16.9	2.6	136	13.1	34.4	12x3.3	\$499.95
6982	20-60x82-S OUTFIT	BLACK	16.9	2.1	109	20	41.4	14.8x3.7	\$649.95
PROST	AFF 3 60mm Outfit								
6983	16-48x60-S OUTFIT	BLACK	19	2.3	120@16x	32.8	21.9	12.3x2.9	\$329.95















MOUNTING SOLUTIONS

MOUNTS FOR EUERY RIFLESCOPE.

Nikon's scope mounting systems are engineered to uphold the precision, strength and good looks designed into every Nikon riflescope. Choose from our new featherweight horizontal split rings, A-Series aluminum rings and bases, mounts for the BLACK riflescope line, as well as for MSR platforms and rings for most firearms. All are CNC machined from solid bar stock and are held to incredibly tight tolerances, and all are made in the USA.







BLACK CANTILEVER MOUNTS!

Nikon's BLACK cantilever-style mounting platform is designed for strength, precision and proper riflescope mounting position on MSR rifles. These precision-machined, one-piece mounts offer perfect alignment and maximum surface contact area for your 30mm tube riflescope. Mil-Spec 1/2" hex nut clamp accepts 65 in/lb. of torque.



BLACK PRECISION MOUNTS!

Nikon's BLACK Precision mount is a one-piece design engineered for exceptional precision, strength and perfect alignment of the integral 30mm. The unique design provides wider surface area contact with scope tube for maximum mounting security. Mil-Spec 1/2" hex nut accepts 65 in/lb. of torque.

CANTILEUER MOUNTS

Built of strong-yet-lightweight alloy construction, Nikon's Cantilever mounts provide ideal height and fore-aft position for proper eye relief and charging handle access. M-TACTICAL models for 30mm tubes, P-TACTICAL models for one-inch tubes,





Also available in 20 MOA Cant One-Piece Mount





Also available in 20 MOA Cant One-Piece Mount

A-SERIES RINGS AND BASES

Engineered specifically for lighterweight rifles, the lightweight and economical A-Series rings are designed for an incredible strength-to-weight ratio. These bases offer a full width recoil slot in each base that mates with the recoil bolt of A-Series rings, resulting in maximum bearing surface to manage recoil stress on the mount.



PRECISION RIFLE RINGS

An all-new take on the classic horizontal split ring design, these new rings are precision CNCmachined from aircraft grade aluminum for high strength and low weight. Rings are available in low, medium and high variants for 1" and 30mm riflescope tubes. Compatible with most firearm/ scope combinations, these rings fit Picatinny and Weaver-style mount bases.



BLACK RANGEFINDER TRIPOD MOUNT

Squeeze every yard of capability and speed from your BLACK RANGEX 4K rangefinder with this proprietary tripod mount. Designed for easy mounting of the rangefinder to a tripod for ultra-steady ranging, the BLACK RANGEX 4K Tripod Mount can utilize either the integral ARCA Swiss release system or traditional 1/4"-20 tripod socket for attachment. Durable, lightweight 6063 T6 aluminum alloy construction.



COMPETITION-GRADE BUBBLE LEVEL


A staple for every precision long-range competitor, our new proprietary bubble level should also be part of virtually every shooter's or hunter's rifle set-up. The level's streamlined profile allows easy viewing without disturbing cheek weld. It is ambidextrous and mounts easily to the riflescope main body tube. Available in 1" and 30mm models.

NEW NIKON LOGO GEAR



NEW PREC	ISION RIFLE RINGS	SRP	
16691	Precision Rifle Rings 1" - Low	TBD	
16692	Precision Rifle Rings 1" - Med	TBD	
16693	Precision Rifle Rings 1" - High	TBD	
16694	Precision Rifle Rings 30mm - Low	TBD	
16695	Precision Rifle Rings 30mm - Med	TBD	
16696	Precision Rifle Rings 30mm - High	TBD	
BLAC	K SERIES 30mm MOUNTS		
16403	BLACK Cantilever MSR Height	\$144.95*	
16405	BLACK Cantilever (20 MOA Cant) MSR Height	\$144.95	
16404	BLACK Precision MSR Height	\$144.95*	
16406	BLACK Precision Medium Height	\$144.95	
M-TA	CTICAL 30mm CANTILEVER MOUNTS		
839	M-TACTICAL 1-Piece	\$89.95	
840	M-TACTICAL 1-Piece (20 MOA Cant)	\$99.95	
16562	M-TACTICAL 2-Piece	\$59.95	
P-TA	CTICAL 1-INCH CANTILEVER MOUNTS		NEW
16560	P-TACTICAL 1-Piece	\$79.95	
16561	P-TACTICAL 1-Piece (20 MOA Cant)	\$89.95	
835	P-TACTICAL 2-Piece	\$59.95	
16349	P-TACTICAL 2-Piece - Flat Dark Earth	\$64.95	
*Drioi	ng undated 1/10/10		

	A-SFR	IES RINGS	SRP
	16166	A-Series Low Rings Matte	\$24.95
	16167	A-Series Medium Rings Matte	\$24.95
	16168	A-Series High Rings Matte	\$24.95
	16179	A-Series (30mm) Rings Medium Matte	\$24.95
	16180	A-Series (30mm) Rings High Matte	\$24.95
	16181	A-Series Rimfire Rings Medium Matte	\$24.95
			Ψ24.33
	A-SER	IES BASES	
	16169	A-Series 700 Base Matte	\$9.95
	16170	A-Series 10/110 Base Matte	\$9.95
	16171	A-Series TC Base Matte	\$9.95
	16172	A-Series 70 Base Matte	\$9.95
	16173	A-Series 336 Base Matte	\$9.95
	16174	A-Series A-Bolt Base Matte	\$9.95
	16175	A-Series BAR Base Matte	\$9.95
	16176	A-Series Mark V Base Matte	\$9.95
VEW	ACCES	SSORIES	
	16645	BLACK RANGEX 4K Tripod Mount	\$74.95
	16697	Competition Grade Bubble Level - 1"	TBD
	16698	Competition Grade Bubble Level - 30mm	TBD
	16699	45 Degree Offset Red Dot Mount	TBD



TREX

(FREESTYLE)

At the system's core is the TREX™ FreeStyle fully adjustable harness with quick-release attachment cords. This feature-packed harness securely holds your optic close to the chest while running or crawling, yet allows fast access for glassing. TREX™ FreeStyle comfortably distributes your optics weight during long miles afield.

[EXO]

The TREX™ EXO carry system integrates a lightweight exoskeleton shell that provides incredibly fast access. In conjunction with the harness's quick-release attachment cords that hold the optic securely in place, EXO offers protection of the eyepiece lenses even when the over-flap is not secured. Rear cellphone pocket has built-in microfiber cleaning cloth for keeping lenses smudge-free.

[360]

Nikon's TREX™ 360 full protection carry system is a great bet to keep your optic safe, clean and dry. The TREX™ 360 adds a water-resistant, padded optic compartment to shield and secure your glass while also keeping

it at-the-ready. The patented closure system keeps the case closed tight to shield against water, snow and dirt. Interior and exterior pockets hold personal gear that requires quick access. Interior cellphone pocket has built-in microfiber cleaning cloth. MOLLE webbing system on front allows attachment of other gear, while a hand warmer pocket offers a compartment for a disposable pocket warmer.

Please visit NikonSportOptics.com for more information on the TREX™ Optic Carry System.



Lightweight accessory tool for variable power scopes.

CNC machined from anodized 6061/T6 aluminum.

Enables quick and easy adjustment of the scope's power setting without moving from your shooting position.



Switchview^{*}

Switchview™ enables quick and easy adjustment of a scope's power setting with a simple push or pull of the lever. Simply clamp it around the zoom ring of a variable power scope, and the extended arm gives the proper leverage to turn a stiff power selector ring, or to rapidly move from high to low power and vice versa.



SCOPECOAT

Pull on cover protects your scope and exterior lenses from dirt, dust, snow and scratching. Water resistant, breathable, neoprene case draws moisture and condensation away from scope. SCOPECOAT™ stretches to custom fit your optic, from 1-1.5" over stated length.

	TREX	BINOCULAR CARRY SYSTEM	SRP
	16411	TREX™ FREESTYLE HARNESS	\$39.95
	16415	TREX™ EXO CARRY SYSTEM	\$89.95
	16414	TREX™ 360 CARRY SYSTEM	\$119.95
	16413	TREX™ EXO BAG ONLY	\$49.95
	16412	TREX™ 360 BAG ONLY	\$79.95
	SWITC	CHVIEW	
EW	16700	SWITCHVIEW - MONARCH M5 (30MM)	\$59.95

\$59.95

16417 SWITCHVIEW - BUCKMASTERS (1")

		SRP
16418	SWITCHVIEW - BLACK SERIES (30MM)	\$59.95
16567	SWITCHVIEW - M-TACTICAL (30MM) / P-TACTICAL / PROSTAFF P5 and PROSTAFF P3 (1")	\$59.95
SCOPE	COAT	
16399	SCOPECOAT 42MM (12.5" x 42MM - BLACK)	\$27.95
16400	SCOPECOAT 50MM (12.5" x 50MM - BLACK)	\$27.95
16401	SCOPECOAT 50MM (12.5" x 50MM - COYOTE BROWN)	\$27.95
16402	SCOPECOAT 52MM (14" x 52MM - BLACK)	\$29.95



UNLOCK YOUR FIREARM'S ACCURACY POTENTIAL!

Match your riflescope and reticle to virtually any ammunition. All you need is a rifle, a Nikon riflescope and a rangefinder—Spot On does all the work for you—showing you all the shot possibilities before you pull the trigger! With an expansive database Spot On provides you with the precise aiming points at your specified range for any Nikon BDC reticle riflescope and instant reference for sighting in other Nikon riflescopes with Nikoplex, hashmark, mildot or standard crosshair reticles.

YOU CAN FURTHER CUSTOMIZE YOUR SPOT ON RESULTS.

Customize Your Shooting Environment

Enter atmospheric conditions and other data that can affect your shot.



WE HOLD THE SPOT ON ADVANTAGE

The passion for precision has brought over a million shooters to Spot On. Its speed, simplicity and effectiveness is what keeps them coming back. Spot On precisely matches any cartridge and load to a Nikon riflescope and BDC reticle—providing the exact aiming points for every shooting distance imaginable. And with over a million possible accuracy combinations for virtually every centerfire, rimfire and muzzleloader load—even crossbow bolts—Spot On offers a real advantage for long-range precision.


Spot On for Handloaders

Enter your custom load information and Spot On does the rest. You can even compare loads.



Expand Your BDC Reticle

See incredibly precise reticle aiming points, download and print. Tape it to your stock for easy reference.




MATCH YOUR NIKON RIFLESCOPE TO VIRTUALLY ANY AMMUNITION!

Choose your riflescope and reticle Choose your ammunition Choose your ammunition Consorted Lease Armord Build Details Consorted Lease Armord B

Generate Ballistic Data Reports

You can create Field Reference Charts, Ballistic Tables and Ballistic Trajectory Graphs of your particular load.



Side To Change Magnification Side To Change Magnification Side To Change Magnification Side To Change Magnification MONAPCH 7 4-16x80 BIO-Custon XRT Set Sights To Shoot 0.00 Inches High at 100 Yards for a 100 Yard Zero Expand RDC Field Chart: Buildistic Tuble

SPOT ON CUSTOM TURRETS

The Spot On Custom Turret Program is a practical way for shooters to compensate for bullet drop and make accurate long-range shots. Each Spot On Custom Turret is personalized for an individual shooter based on ballistic information he or she enters on the online ordering page. Select your ammunition, riflescope, typical atmospheric conditions and much more to create your own uniquely calibrated turret.

SET YOUR SIGHTS TO SHOOT:

Set Sights To Shoot 0 Inches at 100 Yards for a 100 Yards Zero

GIVE IT A SHOT!

NikonSportOptics.com/SpotOn

Free Mobile App

Spot On is now available at no cost for the iPhone®, iPad® and Android™ platforms. Get the app and ensure that the world's hottest ballistics calculator is there when you need it.



 $oxed{73}$




RIFLESCOPE RETICLE SUBTENSIONS



		BLA	CK FX & BLA	CK X Reticle Sul	otensions (AT 100	YARDS)		
		BLACK F	X1000			BLACK X1	000	
	4-16>	50SF	6-24	x50SF	4-16x50	OSF	6-24	x50SF
	FX-MOA/IL FX-MOA	FX-MRAD/IL FX-MRAD	FX-MOA/IL FX-MOA	FX-MRAD/IL FX-MRAD	X-MOA/IL X-MOA	IL X-MRAD	IL X-MOA	IL X-MRAD
	4x-16x	4x-16x	6x-24x	6x-24x	16x	16x	18x	18x
	MOA	MRAD	MOA	MRAD	MOA	MRAD	MOA	MRAD
А	0.14	0.038	0.14	0.038	0.15	0.5	0.15	0.5
В	0.75	0.1	0.75	0.1	2	1	2	1
С	1	0.2	1	0.2	10	2	10	2
D	1.5	0.3	1.5	0.3	20	5	20	5
Е	2.5	0.6	2.5	0.6	1	0.25	1	0.25
F	2.75	0.7	2.75	0.7	4		4	
G	5	1	5	1	6		6	
Н	10	2	10	2				
1	20	8	20	8				
J	30		30					


				МС	DNARCH M5 Re	ticle Subten	sions (AT	100 YARDS)			
	3-12	x42SF	3-12x	42SF	3-12x42SF	4-16x4	2SF	4-16x	50SF	4-16x50SF	5-20x50SF
	В	DC	Niko	plex	MK1-MOA	BD0)	BD	С	MK1-MOA	MK1-MOA
	ind	ches	inch	nes	MOA	inche	es	inch	es	MOA	MOA
	3x	12x	3x	12x	12x	4x	16x	4x	16x	16x	20x
А	1	0.25	2.52	0.63	0.15	1	0.25	1	0.25	0.15	0.15
В	24	6	0.64	0.16	1	16	4	16	4	1	1
С	6	1.5	23.16	5.79	1.75	6	1.5	6	1.5	1.75	1.75
D	8	2			2	8	2	8	2	2	2
Е	8	2			4	8	2	8	2	4	4
F	18	4.5			5	18	4.5	18	4.5	5	5
G	28	7			10	28	7	28	7	10	10
Н	44	11			20	44	11	44	11	20	20
I	60	15			30	60	15	60	15	30	30
J	4	1				4	1	4	1		


	BLACK FORCE100	BLACK FORCE1000
	1-6x24	1-4x24
	IL FORCE-MOA	IL SPEEDFORCE
	6x	4x
	MOA	MOA
Α	0.5	2
В	2	17
С	2	25
D	2	1
Е	4	1.5
F	0.5	0.5
G	8	4
Н	2	2.5
1	2	10
J	2.5	17.5
K	33	20
L	45	35
М	12	3.2
N	8	6.3
0	24	6.5
Р	49	8.5
Q	25	5





		M-TACTICAL		M-TACTICAL .308	M-TACTICAL .223
	1-4x24	3-12	2x42SF	4-16x42SF	4-16x42SF
	MK1-MOA	MK1-MOA	MK1-MRAD	BDC 800	BDC 600
	4x	16x	16x	16x	16x
	MOA	MOA	MRAD	inches	inches
Α	0.35	0.15	0.05	0.2	0.25
В	1.5	1	0.25	7	8
С	1.75	1.75	0.5	0.6	0.5
D	2	2	1	1	1
Е	4	4	1.5	0.75	0.75
F	5	5	6	2	1.5
G	10	10	10	3.5	2.5
Н	20	20		5	3.75
I	30	30		6.5	5
J				8.25	6.5
K				10.25	8.25
L				12.5	10.25
M				14.5	12.5
N				16.75	14.75
0				19	17
Р				21.75	1
Q				24.5	
R				27.25	
S				30.5	
T				33.8	
U				1	
V				0.5	
W				0.2	


		P-T	ACTICAL Retic	e Subtensions a	t 100 yards, P-	TACTICAL F	RIMFIRE at 50) yards			
	P-TA	CTICAL	P-TACTICAL .308	P-TACTICAL 300BLK		P-TACTI	P-TACTICAL RIMFIRE				
	3-9x40		4-12x40	2-7x32	1.5-4.5x20	3x32	3-9x40	4-12x40	2-7x32		
	MK1-MOA	MK1-MRAD	BDC 800	BDC Supersub	BDC 600	BDC Carbine	BDC 600	BDC 600	MK1-MOA	BDC 150	
	9x	9x	12x	7x	4.5x	3x	9x	12x	7x	7x	
	MOA	MRAD	inches	inches	inches	inches	inches	inches	MOA	inches	
А	0.15	0.05	0.2	0.5	0.5	1	0.25	0.25	0.2	0.3	
В	1	0.25	7	30	8	24	8	8	1	8	
С	1.75	0.5	0.6	3	1	1	0.5	0.5	1.75	1	
D	2	1	1	2	2	3.4	1	1	2	2	
Е	4	1.5	0.75	2.5	1	5.5	0.75	0.75	4	4.5	
F	5	6	2	5	1.5	14.25	1.5	1.5	5	7	
G	10	10	3.5	8	3.75	20	2.5	2.5	10	11	
Н	20		5	11.5	5	3	3.75	3.75	20	15	
ı	30		6.5	15	6.5		5	5	30	2	
J			8.25	19.5	8.25		6.5	6.5		1.4	
K			10.25	24	10.25		8.25	8.25			
L			12.5	29	12.5		10.25	10.25			
М			14.5	35	14.75		12.5	12.5			
N			16.75	2	17		14.75	14.75			
0			19	6	1		17	17			
Р			21.75	9			1	1			
Q			24.5	12							
R			27.25	0.5							
S			30.5	1.5							
T			33.8								
U			1								
V			0.5								
W			0.2								
Х			0.6								














74










	PROSTAFF P3 RETICLE SUBTENSIONS (INCHES AT 100 YARDS)																				
	2-7	x32	3-9	< 40	3-9	x40	3-9>	(50	3-92	x50	4-12	x40	4-12	2x40	4-12	2x40	6-18>	(40		6-18x40	
	BI	OC .	Niko	plex	BE	C	Niko	olex	BD	C	Nikop	olex	BE	OC	Mil	dot	BD0)		Mildot	
	2x	7x	Зх	9x	Зх	9x	3x	9x	3x	9x	4x	12x	4x	12x	4x	12x	6x	18x	6x	12x	18x
А	0.75	0.25	2.58	0.86	0.75	0.25	2.58	0.86	0.75	0.25	1.95	0.65	0.75	0.25	6	2	0.75	0.25	4	2	1.33
В	30	10	0.66	0.22	24	8	0.66	0.22	30	10	0.51	0.17	18	6	0.75	0.25	30	10	0.5	0.25	0.17
С	4.5	1.5	23.76	7.92	4.5	1.5	23.76	7.92	4.5	1.5	17.82	5.94	4.5	1.5	108	36	4.5	1.5	72	36	24
D	6	2			6	2			6	2			6	2	2.16	0.72	6	2	1.44	0.72	0.48
Е	6	2			6	2			6	2			6	2	10.8	3.6	6	2	7.2	3.8	2.4
F	13.5	4.5			13.5	4.5			13.5	4.5			13.5	4.5			13.5	4.5			
G	21	7			21	7			21	7			21	7			21	7			
Н	33	11			33	11			33	11			33	11			33	11			
- 1	45	15			45	15			45	15			45	15			45	15			
J	3	1			3	1			3	1			3	1			3	1			


BUCKMASTERS II Reticle Subtensions (INCHES @ 100 YARDS)							
	3-9x40	4-12x40	3-9x50				
	BDC	BDC	BDC				
	9x	12x	9x				
Α	0.25	0.25	0.25				
В	8	6	8				
С	1.5	1.5	1.5				
D	2	2	2				
Е	2	2	2				
F	4.5	4.5	4.5				
G	7	7	7				
Н	11	11	11				
- 1	15	15	15				
J	1	1	1				

	PROSTAFF P5 Reticle Subtensions (AT 100 YARDS)													
	2.5-1	2.5-10x42		2.5-10x42		3-12x42SF		x42SF	4-16x42SF	42SF 4-16x5		50SF 6-24x50		
	BD	C	Nikoplex		BDC		ВІ	DC	MK1-MOA	BD	С	BDC		
	inch	nes	inches		inches		inches		MOA	inches		inches		
	2.5x	10x	2.5x	10x	Зх	12x	4x	16x	16x	4x	16x	6x	24x	
А	1	0.25	3	0.75	1	0.25	1	0.25	0.15	1	0.25	1	0.2	
В	28	7	0.8	0.2	24	6	16	4	1	16	4	12	3	
С	6	1.5	27.6	6.9	6	1.5	6	1.5	1.75	6	1.5	6.4	1.6	
D	8	2			8	2	8	2	2	8	2	8	2	
Е	8	2			8	2	8	2	4	8	2	8	2	
F	18	4.5			18	4.5	18	4.5	5	18	4.5	18	4.5	
G	28	7			28	7	28	7	10	28	7	28	7	
Н	44	11			44	11	44	11	20	44	11	44	11	
Ī	60	15			60	15	60	15	30	60	15	60	15	
J	4	1			4	1	4	1		4	1	2	0.5	











	PROSTAFF P3 SPECIALTY Reticle Subtensions (INCHES @ 100 YARDS)												
	PRO	STAFF P3	PREDATOR I	HUNTER	PROSTAFF P3 M	MUZZLE-LOADER	PROSTAFF P3 SHOTGUN						
	3-9x	40	4-	12x40	3-9	1x40	2-7x	32	3-9x40				
	BDC PRE	BDC PREDATOR		REDATOR	BDC	300	BDC 2	200	BDC 200				
	at 100 yds		at 100 yds		at 10	0 yds	at 100	yds	at 100 yds				
	3х	9х	4x	12x	3x	9x	2x	7x	Зх	9x			
А	0.75	0.25	0.75	0.25	0.75	0.25	1.75	0.5	0.75	0.25			
В	24	8	24	8	24	8	28	8	24	8			
С	9	3	9	3	4.5	1.5	5.25	1.5	4.5	1.5			
D	6	2	6	2	6	2	8.75	2.5	6	2			
E	3	1	3	1	6	2	8.75	2.5	7.5	2.5			
F	12	4	12	4	12	4	18.38	5.3	15.75	5.25			
G	9	3	9	3	24	8	28	8	24	8			
Н	16.5	5.5	16.5	5.5	39	13	42	12	36	12			
I	24	8	24	8	54	18	63	18	54	18			
J	3	1	3	1	6	2	7	2	6	2			







FEATURE & PERFORMANCE ICON DESCRIPTION KEY

Throughout the pages of this catalog, feature and performance icons are used to help in comparing and selecting the right product for your intended use. Below is a detailed description for each:



Fully Multicoated Optics

Multiple layers of anti-reflective coating on all air-to-glass surfaces maximize light transmission, brightness and contrast.



O-ring sealed to prevent moisture from entering body.



Shockproof (Binocular, Rangefinder) Shrugs off rugged use. (Riflescope) Shrugs off hard recoil



Nitrogen Purged Purged using nitrogen gas for total reliability against thermal shock and internal fogging.



Multilayer Coating

Multilayer coating is applied to one or more lens and prism surfaces.



Wide Field of View

(Binocular) Models that have fields of view of 60° or greater, based on the ISO 14132-1:2002 standard. (Riflescope) Wide field of view is considered to be greater than 100 ft. at 100 yds. (Laser Rangefinder) Models that have fields of view of 7.50 or greater.



Armor Lens Coating

Scratch-resistant coatings for eyepiece and objective lenses.



ED Glass

ED (Extra-low Dispersion) glass reduces chromatic aberration to a remarkable degree, providing clear images with superior



Purged using higher-specification argon gas for total reliability against thermal shock and



Locking Diopter

Retains your personal setting.



Tripod Adaptable

and rugged use.

Ability to use tripod adapter to mount to tripod.



One-Inch Tube

Indicates One-Inch diameter main



Glass Etched Reticle

Extremely durable, yet fine and detailed reticle design that maintains color and contrast in all light conditions.



Long Eye Relief

(Binocular) Provides 15mm or more of eye relief (12mm+ for compacts). Perfect for eyeglass wearers. (Laser Rangefinder) Provides 15mm or more of eye relief. Perfect for eyeglass wearers.

Generous, Consistent Eye Relief (Riflescope) Keeps your brow safe.



Optical system provides ultra-high contrast and sharp images.



Field Flattener

Delivers sharp images all the way to the edge of the field of view.



30mm Main Body Tube

Indicates 30mm diameter main body tube.



Heavy Recoil Resistant

Built to withstand the recoil of the hardesthitting calibers.



Interchangeable Turret

Compatible with Nikon's Spot On Custom Turrets. (For North America only).



OLED Display

High visibility red display provides ideal contrast on distant targets.



1x Magnification

For both-eyes-open engagement.



2x Zoom Ratio

For select Fieldscope eyepieces.



3x Zoom Ratio

Offers flexibility for a variety of hunting situations.



4x Zoom Ratio

Offers maximum magnification versatility.



One-Piece Main Body Tube Construction

For minimum weight, maximum strength and durability.



Quick Focus Eyepiece

Smooth-turn aluminum ring with rubberized eye guard allows crisp reticle focus and quick target acquisition.



Return-to-Zero Stop

Proprietary design is easy to set up and retains your zero point until you change it.



Side Focus Parallax Adjustment

Side Parallax knob allows adjustment without changing shooting position.



5x Zoom Ratio

Offers extreme range of magnification



6x Zoom Ratio

Offers extreme range of magnification adjustment.



Proprietary coating that minimizes the bluish tint common to reflex and dot sights.



Spring-Loaded Instant Zero-Reset Turrets

Spring-loaded Windage and Elevation knobs can be reset to "zero" after sighting-in for easy reference when making field adjustments.





ID Technology

Delivers the one number you need for your best shot to account for incline or decline shooting angles.





Dielectric High Reflective Multilayer Coating

This coating features reflectance that exceeds 99%. By utilizing light interference, this coating assures high reflectivity across the full visible range, and ensures high color reproducibility.



Phase Correction Coating

Phase-correction coating is applied to the roof (Dach) prism surface to minimize loss of resolution, ensuring high-contrast images.



Silver Prism Coating

Silver-alloy prism coating which features high reflectance is applied to the roof (Dach) prism.



STABILIZED

Image-stabilized to provide the easiest single-handed operation.



Night Vision Compatible

Certain brightness settings are compatible with night vision gear (typically the initial



HYPER READ

Laser provides quick and stable measurement response regardless of distance (approx. 0.3 seconds).



TRU TARGET

Technology that allows you to switch between First Target and Distant Target modes.





CONTACT

Technical Information 1-800-NIKON US Service & Repair 1-800-NIKON SV Nikon Service & Repair Center 6420 Wilshire Blvd., Suite 100, Los Angeles, CA 90048-5501

Features and specifications subject to change without notice.

NikonSportOptics.com

© Copyright 2019 Nikon Corporation

TM/ ® & © 2018 TrueTimber Outdoors Holding Company, LLC.
Manufactured and/or distributed under official license by Nikon Inc.

iPhone and iPad are registered trademarks of Apple Inc. Android is a trademark of Google Inc. Scopecoat is a trademark of SENTRY Products Group, LLC. Switchview is a trademark of Mike Gibson Manufacturing.

All Nikon Trademarks are the property of Nikon Corporation.

SRO36@